

# **MARICOPA COUNTY HEALTH CODE**

## **CHAPTER IX**

### **TRAILER COACH PARKS**

#### **SECTION 5**

#### **SEWAGE DISPOSAL**

##### **REGULATION 1. Approved Sewage Disposal Systems**

Liquid wastes from all trailer coaches, buildings and fixtures within the trailer coach park shall discharge into a public sewer system, approved private sewerage system, or approved septic tank system. (See Chapter II)

##### **REGULATION 2. Sewage Systems**

The sewer system for trailer coach parks shall be designed either in compliance with the design standards in the applicable bulletin of the Arizona Department of Environmental Quality or Regulations 3, 4, and 6 below.

##### **REGULATION 3. Pipe Size**

The size of the sewer pipe shall be as outlined in the applicable Municipal Plumbing Code, but in no case shall it be less than that required by the Maricopa County Plumbing Code

##### **REGULATION 4. Cleanouts--Branches**

Cleanouts shall be provided and located in sewers as required by the applicable Municipal Plumbing Code. But in no case shall it be less than that required by the Maricopa County Plumbing Code.

##### **REGULATION 5. Connections**

- a. The wastewater plumbing from the trailer coach sewer connection to the public sewer system, approved private sewerage system, or approved septic tank system will be the responsibility of the trailer coach park owner.
- b. Each trailer coach space shall be provided with a trapped sewer, at least three (3) inches in diameter, into which all trailer coach plumbing wastes shall be discharged. Exception: Such traps are not required in trailer coach parks restricted to trailer coaches in which all fixtures discharge through a trap located in the trailer coach plumbing system.

- c. Sewer connections to trailer coaches shall be vapor tight and capped or plugged when not in use. The extension through the ground of the sewer pipe shall be protected by metal casing or concrete mount placed so as to require a minimum of connector piping.

#### **REGULATION 6. Vents and Traps**

Vents and traps shall be provided in all sewer lines. Mobile home lot drain inlets may be installed without traps where the mobile home plumbing fixtures are effectively trapped and vented.

#### **REGULATION 7. Public Sewerage Systems**

Where a public sewerage system is to be used and is already in existence, or if sewers are proposed and have been approved by the Department, it will only be necessary to show the location and size of the sewer lines within the park. Approval to construct the sewers serving the trailer coach park will not be given unless the capacity of the receiving sewers and the treatment facility which will receive the wastes is determined to have adequate capacity for the increased load resulting from the installation of the trailer coach park.